



This Snagless Shielded Cat6a patch cable is ideal for use with 10GBase-T ports and equipment, such as network adapters, hubs, switches, routers, DSL/cable modems and patch panels, and will protect a high speed 10 Gigabit network connection from noise and electromagnetic interference. For voice/data/video distribution, this cable will handle bandwidth-intensive applications and drastically reduces both impedance and structural return loss (SRL). Each patch cable is fully tested to meet ANSI/TIA 568 C.2 Cat6a component requirements.

Each of the individual pairs is bonded together to help maintain the twist-spacing throughout the line right up to the termination point. Constructed from high quality cable and plugs, this design minimizes Near-End Crosstalk (NEXT) levels. Available in a variety of colors to easily color-code a network installation. Individual length label on each cable for ease of use.

Features & Benefits

Designed for network adapters, hubs, switches, routers, HDBaseT applications and more	Supports 10 Gigabit networks up to 328ft for fast data transmission and maximum performance
Meets the ANSI/TIA-568-C.2 Cat6a requirements for supporting a wide variety of applications	Constructed with shielded twisted pair (STP) wires, designed to protect a high speed network from noise and electromagnetic interference
Snagless connector design for high density environments and protecting the RJ-45 connector's	Available in a variety of colors to color-code a network

Specifications

General Info

lock

C2G	Color	Blue			
757120006749	Country Of Origin	Vietnam			
PoE (Power Over Ethernet)	Application Sector	Commercial, Industrial, Residential			
Lifetime	Туре	Cable			
3.0 FT	Cable Length	3 ft			
Technical Information					
PVC (Polyvinyl Chloride)	Wire Gauge	26 AWG			
	757120006749 PoE (Power Over Ethernet) Lifetime 3.0 FT tion	757120006749 Country Of Origin PoE (Power Over Ethernet) Application Sector Lifetime Type 3.0 FT Cable Length tion			

Cable Type	Booted, Ethernet Patch Cable, Shielded (STP), Snagless	Jacket Rating	Standard / Non-Rated
Cable Diameter	6.2 mm	Adapter Rear	RJ-45 Male
Adapter Front	RJ-45 Male		