



This OM3 Duplex Multimode Fiber Optic Cable is ideal for connecting 10GBase-SR, 10GBase-LRM, SFP+ and QSFP+ transceivers for 10 gigabit network connections. The Uniboot connector allows two fibers to be carried through a single jacket. This reduces the surface area of the cable when compared to standard duplex cables, allowing this cable to facilitate improved airflow within a data center. This cable provides backward compatibility with existing 50/125 equipment and the performance headroom required to support LED and VCSEL laser light sources, and 10 gigabit Ethernet applications in a datacenter or wiring closet.

<

Features & Benefits

- Uniboot connector allows two fibers to be carried within a single jacket
- Constructed to support OM3 transmission standards
- Support for 10 Gigabit Ethernet communication

Specifications

General Info

Product Line	C2G	Color	Aqua
UPC Number	757120010166	Country Of Origin	China
Application Sector	Commercial, Industrial	Warranty Type	Lifetime
Type	Cable		

Dimensions

Product Length US	16.4 FT	Cable Length	16.4 ft
-------------------	---------	--------------	---------

Technical Information

Fiber Optic Cable Type	Multimode, OM3	Jacket Material	PVC (Polyvinyl Chloride)
Jacket Application	Riser Rated	Bend Radius	10 mm
Simplex/Duplex	Duplex	Cable Type	Fiber Optic
Jacket Rating	FT4 Rated, OFNR Rated	Cable Diameter	2 mm

Data Transfer Rate	10 Gbps	Adapter Rear	LC Male, LC Male
--------------------	---------	--------------	------------------

Adapter Front	LC Male, LC Male	Fiber Size	50/125
---------------	------------------	------------	--------
