



This 4-Post Adjustable Open Frame Rack is an ideal solution for mounting network and telecom equipment in a wide variety of applications from a small wiring closets to colocation datacenters. This rack is designed for standard 19in equipment, supports up to 1,000lbs, and features a 5/8in, 5/8in, 1/2in universal mounting hole pattern which are roll threaded for #12-24 hardware. The depth adjustments may be made in 1/2-inch increments allowing this rack to best fit each application. Constructed of 6061-T6 structural grade aluminum, top angles and patented reinforced base are standard and the rack features a self-supporting and self-squaring base along with standard 1/2in junction holes for securing multiple-rack lineups. This rack is listed to the UL 1863 Standard for Communication Circuit Accessories and it meets EIA-310 standards. It assembles quickly and easily and allows excellent cable management opportunities.

Features & Benefits

Depth adjustments from 21 to 32 inches in 1/2 inch increments	Self-supporting and self-squaring base
Mounts 19in equipment and includes cross-recessed black panels mounting screws	5/8in, 5/8in, 1/2in universal mounting hole pattern, roll threaded for #12-24 hardware, with standard 1/2in junction holes for securing multiple-rack lineups
Constructed of 6061-T6 structural grade aluminum	Meets EIA-310 standards and listed to the UL 1863 Standard for Communication Circuit Accessories

Specifications

General Info

Product Line	C2G	Color	Black
UPC Number	757120145912	Country Of Origin	United States
Application Sector	Commercial, Industrial	Warranty Type	Lifetime
Type	Rack		

Dimensions

Product Width US	20.19 in	Product Height US	84.0 in
------------------	----------	-------------------	---------

Technical Information

Rack Units	45
------------	----