

When working in a wiring closet or a cabinet space is limited and cords can easily be misidentified and disconnected causing detrimental downtime. Perform maintenance tasks with confidence by using color power cords in a data environment allowing for quick and accurate identification of equipment.



**Power Up**

Connect PDUs to servers, switches, or other data center equipment. This cable can deliver 15 Amps up to 250 Volts to any connected device ensuring correct operating power

**Level Up**

Each color power cable is constructed to the highest industry standards, to ensure high-quality installs and deliver the stability and durability that is needed for reliable network performance.

**Maintain Excellence**

Allow IT technicians to perform maintenance tasks with confidence and easily locate equipment based on functionality or location, saving both time and money using color coded power cables.

**Features & Benefits**

Full length color jacket with matched color connectors

Constructed of heavy duty 18AWG conductors

Rated up to 250V 10A

UL listed

**Specifications**

**General Info**

|                    |                        |                   |          |
|--------------------|------------------------|-------------------|----------|
| Product Line       | C2G                    | Color             | Yellow   |
| UPC Number         | 757120174967           | Country Of Origin | China    |
| Application Sector | Commercial, Industrial | Warranty Type     | Lifetime |
| Type               | Power Cord             |                   |          |

**Dimensions**

|                   |        |              |      |
|-------------------|--------|--------------|------|
| Product Length US | 4.0 FT | Cable Length | 4 ft |
|-------------------|--------|--------------|------|

**Listing Agencies / 3rd Party Agencies**

---

REACH Compliant      Yes

---

### Technical Information

---

|            |        |               |           |
|------------|--------|---------------|-----------|
| Wire Gauge | 18 AWG | Jacket Rating | SVT Rated |
|------------|--------|---------------|-----------|

---

|          |      |              |         |
|----------|------|--------------|---------|
| Amperage | 10 A | Adapter Rear | C13 IEC |
|----------|------|--------------|---------|

---

|               |         |         |         |
|---------------|---------|---------|---------|
| Adapter Front | C14 IEC | Voltage | 250.0 V |
|---------------|---------|---------|---------|

---