

C2G

3ft (0.9m) DisplayPortTM Male to HDMI® Male Passive Adapter Cable - 4K 30Hz Part No. CG-54432



The DisplayPort to HDMI Passive Adapter Cable is an ideal solution for streaming high-quality audio/video content from the DisplayPort output of a laptop to an HDTV or projector which accepts an HDMI input # making it a perfect solution for the office, work space applications, or conference rooms.

The cable form factor of this adapter provides a simple and convenient solution that eliminates the need for a separate adapter and cable, reducing possible failure points.

This passive adapter cable is a simple plug and play solution that has a DisplayPort 1.2a input and an HDMI 1.4b output. It supports high-definition resolutions up to 4K (3840 x 2160 at 30Hz) and is powered from the DisplayPort source device # allowing it to deliver high quality audio and video to the connected display.

Note:

If the source device supports dual-mode DisplayPort (also known as DP++), a passive adapter can be used because the source device can perform the conversion. If the source device does not support DP++, then an active adapter converter should be used. Thunderbolt 2 ports support DP++ natively.

Features & Benefits

| Adapts a DisplayPort output to H | Adapts a | Displa | vPort. | output | to | HUMI |
|----------------------------------|----------|--------|--------|--------|----|------|
|----------------------------------|----------|--------|--------|--------|----|------|

Supports DisplayPort 1.2a input and HDMI 1.4b output

Supports resolutions up to 4K (3840 x 2160 at 30hz) Supports up to 192kHz audio frame rate and up to 24-bit audio sample size

Powered from DisplayPort source

Specifications

| General Info | | | |
|--------------------|-------------------------|-------------------|----------|
| Product Line | C2G | Color | Black |
| UPC Number | 757120544326 | Country Of Origin | China |
| Application Sector | Commercial, Residential | Warranty Type | Lifetime |
| Туре | Adapter, Cable | | |
| Dimensions | | | |
| Product Length US | 3.0 FT | Cable Length | 3 ft |
| | | | |

| FCC Compliant | Yes | | |
|-----------------------|--------------------------|------------------|----------------------|
| Technical Information | n | | |
| Jacket Material | PVC (Polyvinyl Chloride) | Video Resolution | 1080p, 4K, 4K 30Hz |
| Cable Type | Adapter, Video | Jacket Rating | Standard / Non-Rated |
| Data Transfer Rate | 2.7 Gbps | Adapter Rear | HDMI Male |
| Adapter Front | DisplayPort Male | | |