For fast Ethernet computer networks that require bandwidth-intensive voice, data, or video distribution applications. Meets all Cat5e TIA/EIA standards, and drastically reduces both impedance and structural return loss (SRL). Each of the individual pairs is bonded together to help maintain the twist-spacing throughout the line right up to the termination point. Constructed from high quality copper cable, this design minimizes Near-End Crosstalk (NEXT) levels. Available in a variety of colors to easily color-code your network installation.

Features & Benefits

Designed for network adapters, hubs, switches, routers, HDBaseT Supports 1 Gigabit networks applications and more maximum performance

Supports 1 Gigabit networks up to 328ft for fast data transmission and maximum performance

Meets all Cat5e TIA/EIA requirements for supporting a wide variety of Constructed with unshielded twisted pair (UTP) wires, designed to counter applications

EMI, RFI, and crosstalk

applications	EMI, RFI, and crosstalk		
CMG rated jacket for	in-wall installations		
Specifications			
General Info			
Product Line	C2G	Color	Gray
UPC Number	757120243731	Country Of Origin	China
Application Sector	Commercial, Industrial, Residential	Warranty Type	Lifetime
Туре	Cable		
Dimensions			
Cable Length	14 ft		
Technical Informat	ion		
Jacket Material	PVC (Polyvinyl Chloride)	Cable Type	Ethernet Patch Cable, Unbooted, Unshielded (UTP)
Jacket Rating	Standard / Non-Rated	Cable Diameter	5.3 mm
Adapter Rear	RJ-45 Male	Adapter Front	RJ-45 Male