

Discontinued - 32.8ft (10m) MTP 50/125 OM2 Multimode Fiber Optic Assembly Ribbon Cable - Low Smoke Zero Halogen LSZH - Orange



Make MTP/MPO your choice for high density fiber networks; it's specifically designed for fast ethernet, fiber channel, ATM and gigabit ethernet applications. Save time and money with MTP/MPO's increased ease of installation - simply pull one cable rather than twelve. Each MTP/MPO fiber assembly consists of twelve 50/125 multimode fibers under one PVC (0FNR-rated) jacket. With $our\ MTP/MP0, it's\ possible\ to\ run\ a\ single\ cable\ that\ automatically\ terminates\ twelve\ fibers\ in\ one\ easy\ plug-in.\ Plus,\ the\ small\ plus\ plus$ form factor of an MTP/MPO connector provides a higher port density.

The LSZH jacket is composed from materials that lessen the smoke and halogen emissions when the cable is exposed to extreme temperatures.

This reduces the amount of harmful toxic and corrosive gases that cabling made with plastic materials would otherwise emit into the air during combustion. This construction makes LSZH cables ideal for use where the protection of people and equipment from harmful corrosive gases is absolutely critical.

With its push-pull release mechanism, the MTP/MPO connector is easy to engage and disengage. Plus, its latch design prevents the plug from snagging when jumper cables are being routed. Straight-through pinning; immune to electrical interference.

Please Note: MTP/MPO is a registered trademark of US Conec Ltd.

Features & Benefits

that requires high speed data transfer

Designed to support gigabit ethernet, fibre channel, ATM, or any application Low Smoke Zero Halogen (LSZH) jacket lessen harmful smoke and halogen emissions when the cable is exposed to extreme temperatures

Ease of installation - simply pull one cable rather than twelve

Small form factor provides a higher port density

Push-pull release mechanism and latch design for easy use

Specifications

General Info			
Product Line	C2G	Color	Orange
UPC Number	757120351078	Country Of Origin	Hong Kong
Application Sector	Commercial, Industrial	Warranty Type	Lifetime
Туре	Cable		
Dimensions			
Cable Length	33 ft		
Technical Information			
Fiber Optic Cable Type	MTP, Multimode, OM2	Jacket Material	LSZH PVC
Jacket Application	Riser Rated	Bend Radius	45 mm
Cable Type	Fiber Optic	Jacket Rating	FT4 Rated, OFNR Rated
Cable Diameter	3 mm	Adapter Rear	МТР
Adapter Front	MTP	Fiber Size	50/125