



C2G
6.6ft (2m) Select High Speed HDMI® Cable with Ethernet 4K 60Hz - In-Wall CL2-Rated
Part No. CG-42522



The C2G High Speed HDMI with Ethernet Cable supports all HDMI 2.0 features and is perfect for home theater or desktop audio video applications requiring high speed HDMI features and video resolutions up to 4K (4096 x 2160 at 60Hz, 4:4:4). The Ethernet capabilities of the cable allow a user to connect multiple Ethernet enabled HDMI devices through a single Ethernet connection for accessing interactive online content or updating device firmware. This fully-functional, high bandwidth cable is tested to perform at industry standards and is backed by a lifetime warranty. This cable can be utilized for network switch stacking with compatible equipment. Experience the latest HDMI features including:

Features & Benefits

Supports all HDMI 2.0 features including resolutions up to 4K (4096 x 2160 at 60Hz, 4:4:4) In-wall, CL2-rated jacket
Gold plated connectors

Specifications

General Info

| | | | |
|--------------------|-------------------------|-------------------|----------|
| Product Line | C2G | Color | Black |
| UPC Number | 757120425229 | Country Of Origin | China |
| Application Sector | Commercial, Residential | Warranty Type | Lifetime |
| Type | Cable | | |

Dimensions

| | | | |
|-------------------|--------|--------------|--------|
| Product Length US | 6.6 FT | Cable Length | 6.6 ft |
|-------------------|--------|--------------|--------|

Technical Information

| | | | |
|------------------|-----------------------------|--------------------|------------------------|
| Jacket Material | PVC (Polyvinyl Chloride) | Wire Gauge | 32 AWG |
| Video Resolution | 1080p, 4K, 4K 30Hz, 4K 60Hz | Jacket Application | In-Wall Rated |
| Bend Radius | 51 mm | Cable Type | High Speed HDMI, Video |
| Jacket Rating | CL2 Rated | Cable Diameter | 7.3 mm |

| | | | |
|--------------------|-----------|--------------|-----------|
| Data Transfer Rate | 18 Gbps | Adapter Rear | HDMI Male |
| Adapter Front | HDMI Male | | |