

Conquer USB length limitations, and put your USB devices where you want them with our patent-pending USB superbooster wall plate. This wall plate solution extends the distance of a USB device to a host computer up to 150 feet so you can place your USB projector, camera, printer, web cam, hub, or any other USB device exactly where you want it! This wall plate is powerful yet simple, with no drivers to install or special software required so it's compatible with any computer that supports USB.

This plug-and-play device consists of a transmitter unit and a receiver unit incorporated into two, single gang wall plates. The transmitter/receiver pair is connected via standard Cat5, Cat5E, or Cat6 patch cables (not included) allowing for easy in-wall installation. This provides a clean, finished installation that is important for homes, classrooms, offices or any other facility where you don't want unsightly visible cables lying around.



Use pre-terminated network cables or pull unterminated cable and terminate with toolless IDC RJ45 connectors (included). Bus-powered, the USB superbooster wall plate requires no external power source. Compliant with USB Specification 1.1.

Transmitter Connectors: One USB Type B Female (Input) and One RJ45 Female (Output)

Receiver Connectors: One RJ45 Female (Input) and One USB Type A Female (Output)

Please Note: The power demands of devices such as external drives and USB hubs may require the use of external power for proper operation.

Note: If the USB signal is being extended to support an interactive whiteboard, then we recommend using our product

Features & Benefits

Extends a USB 1.1 signal up to 150ft over category cables

Allows for flexible positioning of USB peripherals

Transmitter and receiver are built into wall plates

Kit includes both the transmitter and receiver units

Patented, Patent No. US 7,741,562

Specifications

General Info

| | | | |
|--------------|--------------|-------------------|-------|
| Product Line | C2G | Color | White |
| UPC Number | 757120293422 | Country Of Origin | China |

| | | | |
|--------------------|-------------------------|---------------|--------|
| Application Sector | Commercial, Residential | Warranty Type | 5-Year |
|--------------------|-------------------------|---------------|--------|

| | |
|------|--|
| Type | Active Device, Extender, Kit, Wall Plate |
|------|--|

Dimensions

| | | | |
|------------------|---------|-------------------|---------|
| Product Width US | 1.31 in | Product Weight US | 0.64 lb |
|------------------|---------|-------------------|---------|

| | | | |
|------------------|---------|-------------------|---------|
| Product Depth US | 1.34 in | Product Height US | 4.13 in |
|------------------|---------|-------------------|---------|

Listing Agencies / 3rd Party Agencies

| | | | |
|--------------|-----|---------------|-----|
| CE Certified | Yes | FCC Compliant | Yes |
|--------------|-----|---------------|-----|

| | |
|-----------------|-----|
| REACH Compliant | Yes |
|-----------------|-----|

Additional Information

| | |
|-----------------|-----|
| RoHS Conformant | Yes |
|-----------------|-----|

Technical Information

| | | | |
|-----------------|---|--------------------|---------|
| Number of Gangs | 1 | Data Transfer Rate | 12 Mbps |
|-----------------|---|--------------------|---------|

| | | | |
|--------------|--------------|---------------|--------------|
| Adapter Rear | USB-A Female | Adapter Front | USB-B Female |
|--------------|--------------|---------------|--------------|
