

## SPECIFICATION SHEET



## DisplayPort HDBaseT over Cat5 Extender

- Supports resolutions up to 2560 x 1600
- Resolutions supported at distances up to:
  - 2560 x 1600—231ft (70m)
  - 1920 x 1080—330ft (100m)
- Supports Phantom Power—single power supply at either the transmitter or receiver
- HDCP & 3D Video Compliant
- TAA compliant

# Specifications: DisplayPort HDBaseT over Cat5 Extender

## Electrical Characteristics:


|                            |   |
|----------------------------|---|
| Max Resolutions Supported: | WQXGA (2560 x 1600 @ 60Hz)<br>Full HD (1920 x 1080p @ 60Hz) |
| Features Supported:        | HDBaseT, 3D, HDCP, EDID                                     |
| Distance Supported:        | 2560 x 1600 @ 70m<br>1920 x 1080 @ 100m                     |

## Power Adapter

|                      |                      |
|----------------------|----------------------|
| Input Voltage:       | 100 ~240V, @ 50~60Hz |
| Input Current:       | 0.6A                 |
| Output Voltage:      | 18V                  |
| Output Current:      | 1.0A                 |
| Cable Length:        | 59" (1520 ± 100mm)   |
| Pin DIA:             | OD=4.7mm, ID=1.7mm   |
| Center Pin Polarity: | Positive             |

## Physical Characteristics:

|                        |                 |
|------------------------|-----------------|
| Operating Temperature: | 0°C ~ 50° C     |
| Storage Temperature:   | -20°C ~ 70°C    |
| Humidity:              | 0~80% RH        |
| Dimensions (HxWxD):    | 23 x 108 x 86mm |
| Enclosure:             | Metal           |
| Approvals:             | CE              |



# Specifications: DisplayPort HDBaseT over Cat5 Extender

| Part Number | Description   | Weight (lbs) |
|-------------|---|--------------|
| 29299       | DisplayPort HDBaseT™ over Cat5 Extender Receiver    |              |
| 29302       | DisplayPort HDBaseT™ over Cat5 Extender Transmitter |              |
| 29303       | DisplayPort HDBaseT™ over Cat5 Extender             |              |
| 29304       | DisplayPort to HDMI HDBaseT™ over Cat5 Extender     |              |

©2014 Legrand All Rights Reserved SpecSheet MSPEC\_29299\_29302-4\_R0



**CABLES TO GO**

Cables To Go  
3555 Kettering Blvd.  
Moraine, OH 45439  
Phone: 800.287.2843  
www.c2g.com

Follow Us

