

SPECIFICATION SHEET

**NEMA 5-15P to NEMA 5-15R Hospital Power Extension Cable**

- Hospital grade (Green dot) power cable, UL, CUL & CSA certification
- Perfect for use in a Hospital, Doctors Office, Dentist, and any other Healthcare facility
- Used for outdoor environments, maintenance or cleaning power extensions, temporary power extensions for equipment relocation, etc.
- TAA compliant
- Lifetime Warranty

Specifications: NEMA 5-15P to NEMA 5-15R Hospital Power Extension Cable

Electrical Characteristics:

Voltage Rating:	300v
Amperage Rating:	13A (16AWG)
Temperature Rating:	105°C
Cable Type:	SJTW (Junior hard service, thermoplastic insulated conductors and jacket, outdoor rated)
Approvals:	CE compliant for RoHS2
Certifications:	UL/CUL, CSA

Physical Characteristics:

Operating Temperature:	-10°C to 75°C, 50/-20% RH
Storage Temperature:	-20°C to 50°C, 50/-10% RH

Conductor (Qty 3):

Conductor Type:	16 AWG (26/0.254) Soft-annealed Copper
Insulation:	Average Thickness: 0.76mm PVC O.D.: 3.0 ± 0.1 mm (1) black, (1) white, (1) green

Connector (Qty 1):

Connector Type:	NEMA 5-15P
Gender:	Male
Contact Material:	Nickel plated
Color:	Orange


Connector (Qty 1):

Connector Type:	NEMA 5-15R
Gender:	Female
Contact Material:	Nickel plated
Color:	Orange

Overall Cable:

Jacket:	Orange PVC Average Thickness: 0.76 mm O.D.: 8.5 ± 0.2 mm
---------	--

Specifications: NEMA 5-15P to NEMA 5-15R Hospital Power Extension Cable



Part Number	Description	Weight (lbs)
48071	6ft NEMA 5-15P to NEMA 5-15R Hospital Power Extension Cable	0.672
48072	8ft NEMA 5-15P to NEMA 5-15R Hospital Power Extension Cable	0.824
48073	10ft NEMA 5-15P to NEMA 5-15R Hospital Power Extension Cable	0.978
48074	25ft NEMA 5-15P to NEMA 5-15R Hospital Power Extension Cable	1.77
48061	50ft NEMA 5-15P to NEMA 5-15R Hospital Power Extension Cable	3.55
48062	75ft NEMA 5-15P to NEMA 5-15R Hospital Power Extension Cable	5.25



CABLES TO GO

Cables To Go
 3555 Kettering Blvd.
 Moraine, OH 45439
 Phone: 800.287.2843
 www.c2g.com

Follow Us

