


SPECIFICATION SHEET



RapidRun Optical HDMI Keystone Transmitter

- Install an HDMI extension in existing A/V infrastructure
- Supports full 4k , 3D, and all other HDMI high speed features
 - 4096x2160 at 30 Hz 4:4:4 (Chroma Sampling) 10 bit (Max bit depth per color)
 - 3840x2160 at 30 Hz 4:4:4 (Chroma Sampling) 10 bit (Max bit depth per color)
- Utilizes fiber cabling, so it is resistant to EMI/RFI interference
- 3 Year Warranty

Specifications: RapidRun Optical HDMI Keystone Transmitter

Maximum 4k capabilities:

4096x2160 at 30 Hz 4:4:4 (Chroma Sampling) 10 bit (Max bit depth per color)
 3840x2160 at 30 Hz 4:4:4 (Chroma Sampling) 10 bit (Max bit depth per color)
 4096x2160 at 60 Hz 4:4:4 (Chroma Sampling) 8 bit (Max bit depth per color)
 3840x2160 at 60 Hz 4:4:4 (Chroma Sampling) 8 bit (Max bit depth per color)


Electrical Specifications:

Resolutions Supported:	4096x2160 60Hz, 4096x2160 30Hz, 3840x2160 60Hz, 3840x2160 30Hz, 1080p, 720p, 480p
Frame rate:	24, 25, 30, 50, or 60 fps
Chroma Sampling:	4:4:4, 4:2:2, 4:2:0
Color Bit depth:	8 bits per color for 60 Hz, 10 bit per color for 30 Hz
Aspect ratio supported:	21:9, 16x9
HDCP:	2.2
Bandwidth:	18 Gbps
Supported audio channels:	32
Audio sample frequency:	1536kHz
Synchronization of audio and video:	Dynamic
Audio Return Channel	Supports ARC functionality
HDMI Features Supported:	Ethernet Return Channel, HDMI High Speed, HDCP, EDID, CEC,

Physical Specifications:

Keystone Dimensions (HxWxD):	16.06 x 14.20 x 41mm
Overall Dimensions (HxWxD):	16.06 x 14.20 x 101.5mm
Keystone Housing Material:	ABS, UL94V-0 (Fog White Color)
Flying-Lead Housing Material:	ABS, (Black Color)
Bend Radius:	5mm
Operating Temperature:	0°C to 60°C; 0-90% RH (Non-Condensing)
Storage Temperature:	-25°C to 85°C; 0-90% RH (Non-Condensing)
Compliance:	CE, FCC, RoHS2

Specifications: RapidRun Optical HDMI Keystone Transmitter



Part Number	Description	Weight (lbs)
60175	RapidRun Optical HDMI Keystone Transmitter	.032



CABLES TO GO

Cables To Go
 3555 Kettering Blvd.
 Moraine, OH 45439
 Phone: 800.287.2843
 www.c2g.com

Follow Us

