



For fast Ethernet and Gigabit computer networks that require bandwidth-intensive voice, data, or video distribution applications. Meets all Cat6 TIA/EIA standards, and drastically reduces both impedance and structural return loss (SRL). Each of the individual pairs is bonded together to help maintain the twist-spacing throughout the line right up to the termination point. Constructed from high quality copper cable, this design minimizes Near-End Crosstalk (NEXT) levels. Available in a variety of colors to easily color-code your network installation.

## Features & Benefits

- Designed for network adapters, hubs, switches, routers, HDBaseT applications and more
- Supports 10 Gigabit networks up to 180ft for fast data transmission and maximum performance and supports 1 Gigabit up to 328ft
- Meets all Cat6 TIA/EIA requirements for supporting a wide variety of applications
- Constructed with unshielded twisted pair (UTP) wires, designed to counter EMI, RFI, and crosstalk
- Available in a variety of colors to color-code a network

## Specifications

### General Info

|                    |                                     |                   |          |
|--------------------|-------------------------------------|-------------------|----------|
| Product Line       | C2G                                 | Color             | Red      |
| UPC Number         | 757120041603                        | Country Of Origin | Vietnam  |
| Application Sector | Residential, Commercial, Industrial | Warranty Type     | Lifetime |
| Type               | Cable                               |                   |          |

### Dimensions

|              |       |
|--------------|-------|
| Cable Length | 15 ft |
|--------------|-------|

### Additional Information

|                          |     |                          |                              |
|--------------------------|-----|--------------------------|------------------------------|
| Prop 65 Warning Required | Yes | Prop 65 Warning Language | Cancer and Reproductive Harm |
|--------------------------|-----|--------------------------|------------------------------|

---

## Technical Information

---

|                 |  |               |                    |
|-----------------|--|---------------|--------------------|
| Jacket Material | PVC (Polyvinyl Chloride)                         | Wire Gauge    | 24 AWG             |
| Cable Type      | Unbooted, Ethernet Patch Cable, Unshielded (UTP) | Jacket Rating | Standard Non-Rated |
| Adapter Rear    | RJ-45 Male                                       | Adapter Front | RJ-45 Male         |

---