



This USA made OM3 Duplex Multimode Fiber Optic Cable is ideal for connecting 10GBase-SR, 10GBase-LRM, SFP+ and QSFP+ transceivers for 10 gigabit network connections. This cable has a OFNR-rated jacket allowing it to be used in a riser application. This cable also provides backward compatibility with existing 50/125 equipment and the performance headroom required to support LED and VCSEL laser light sources, and 10 gigabit ethernet applications.

## Features & Benefits

- Designed to support 10 gigabit network connections and equipment
- Backward compatibility with existing 50/125 equipment
- OFNR-rated jacket allowing it to be used in riser applications

## Specifications

### General Info

|                    |                        |                   |               |
|--------------------|------------------------|-------------------|---------------|
| Product Line       | C2G                    | Color             | Aqua          |
| UPC Number         | 757120216261           | Country Of Origin | United States |
| Application Sector | Commercial, Industrial | Type              | Cable         |

### Dimensions

|              |         |
|--------------|---------|
| Cable Length | 65.6 ft |
|--------------|---------|

### Additional Information

|                          |     |                          |                              |
|--------------------------|-----|--------------------------|------------------------------|
| Prop 65 Warning Required | Yes | Prop 65 Warning Language | Cancer and Reproductive Harm |
|--------------------------|-----|--------------------------|------------------------------|

### Technical Information

|                    |                |                 |                          |
|--------------------|----------------|-----------------|--------------------------|
| Cable Type         | Multimode, OM3 | Jacket Material | PVC (Polyvinyl Chloride) |
| Bend Radius        | 50 mm          | Simplex/Duplex  | Duplex                   |
| Cable Type         | Fiber Optic    | Jacket Rating   | Riser OFNR-Rated         |
| Data Transfer Rate | 10 Gbps        | Adapter Rear    | SC Male                  |
| Adapter Front      | LC Male        | Fiber Size      | 50/125                   |