For fast Ethernet computer networks that require bandwidth-intensive voice, data, or video distribution applications. Meets all Cat5e TIA/EIA standards, and drastically reduces both impedance and structural return loss (SRL). Each of the individual pairs is bonded together to help maintain the twist-spacing throughout the line right up to the termination point. Constructed from high quality copper cable, this design minimizes Near-End Crosstalk (NEXT) levels. Available in a variety of colors to easily color-code your network installation.

Features & Benefits

Designed for network adapters, hubs, switches, routers, HDBaseT applications and more		Supports 1 Gigabit networks up to 328ft for fast data transmission and maximum performance	
Meets all Cat5e TIA/EIA requirements for supporting a wide variety of applications		Constructed with unshielded twisted pair (UTP) wires, designed to counter EMI, RFI, and crosstalk	
CMG rated jacket for in-wall installations			
Specifications			
General Info			
Product Line	C2G	Color	Gray
UPC Number	757120243540	Country Of Origin	China
Application Sector	Commercial, Industrial, Residential	Warranty Type	Lifetime
Туре	Cable		
Dimensions			
Cable Length	7 ft		
Technical Information			
Jacket Material	PVC (Polyvinyl Chloride)	Cable Type	Ethernet Patch Cable, Unbooted, Unshielded (UTP)
Jacket Rating	Standard / Non-Rated	Adapter Rear	RJ-45 Male

Adapter Front

RJ-45 Male