



**C2G**  
**14ft (4.25m) Cat6 Snagless Unshielded (UTP) Network Crossover Patch Cable - Red**  
Part No. CG-27864



This Cat6 network crossover patch cable is an ideal solution for connecting two computer to share files or data. The crossed pin configuration allows two computers to be connected peer-to-peer without the need for a hub or switch. This cable may also be used to connect network switches and hubs without an uplink port to other switches and hubs. Each cable is fully tested, quality inspected, and meets all TIA/EIA Cat6 standards. This cable has been designed to reduce both impedance and structural return loss (SRL) which ensures error-free transmission. Constructed from high quality cable and a shortened body plug, this design minimizes Near-End Crosstalk (NEXT) levels. This patch cable provides the necessary throughput and is able to handle up to Gigabit Ethernet speeds. The molded, snagless design prevents unwanted cable snags during installation without impairing the ability to insert and remove the connector from the port. It also provides unparalleled strain relief so that the cable is not damaged even when pulled excessively.

## Features & Benefits

- Snagless design protects clips when plugging and unplugging
- Standard RJ45 connectors and unshielded twisted pair wires
- Available in four colors to color-code a network
- Available in lengths up to 25ft

## Specifications

### General Info

Product Line	C2G	Color	Red
UPC Number	757120278641	Country Of Origin	Vietnam
Application Sector	Residential, Commercial, Industrial	Type	Cable

### Dimensions

Cable Length	14 ft
--------------	-------

### Additional Information

Prop 65 Warning Required	Yes	Prop 65 Warning Language	Cancer and Reproductive Harm
--------------------------	-----	--------------------------	------------------------------

### Technical Information

Jacket Material	PVC (Polyvinyl Chloride)	Wire Gauge	24 AWG
Cable Type	Snagless, Crossover, Ethernet Patch Cable, Unshielded (UTP)	Adapter Rear	RJ-45 Male
Adapter Front	RJ-45 Male		