



The HDMI + Serial RS232 over Cat kit is a complete solution for extending HDMI audio/video and Serial RS232 signals over a single Cat5e, Cat6, or Cat6a cable up to 300ft at a 1920x1080 resolution. This solution is compatible with any operating system and is truly plug and play with no drivers or software required. The transmitter and receiver are available in either a wall plate or box form factor and are interoperable allowing this solution to meet the needs of the installation environment. In addition, this solution utilizes TruChoice™ power, which allows power to be supplied over the Cat cable to both the transmitter and receiver from a single power adapter placed at either the transmitter or the receiver end of the solution. HDBaseT technology supports HDCP and allows the Extended Display Identification Data (EDID) signals, i.e. communication of the display's capabilities, to pass through the extension solution ensuring that the content from the source is sent at the optimal resolution for the display. Built-in power surge protection and high ground loop immunity ensure high performance signal extension. The DB9 Serial RS232 port supports full-duplex data communication at 230Kbps and is fully compatible with all RS232 protocols. Point-to-point or multi-drop data communication is supported.

View individual transmitters and receivers on the

## Features & Benefits

Extend HDMI and Serial RS232 up to 300ft at a 1080p resolution	Utilizes a single Cat5e, Cat6 or Cat6a cable for extension
HDBaseT technology supports EDID pass through	TruChoice Power allows for power at transmitter or receiver end
Kit includes both the transmitter and receiver units	

## Specifications

### General Info

Product Line	C2G	Color	Black
UPC Number	757120292111	Country Of Origin	Taiwan, Province Of China
Warranty Type	3-Year	Type	Extender, HDBaseT, Kit

### Additional Information

Prop 65 Warning Required	Yes	Prop 65 Warning Language	Cancer and Reproductive Harm
--------------------------	-----	--------------------------	------------------------------

### Technical Information

Video Resolution	WUXGA (1920x1200)	Adapter Rear	RJ-45 Female, HDMI Female, DB9 Male
Adapter Front	HDMI Female, DB9 Female, RJ-45 Female		