

Turn any IDE or SATA drive into a convenient external drive! Simply connect one IDE/ATAPI or SATA-based mass storage device through a USB port to easily transfer files from a computer or laptop, backup files or store large file archives on an external hard drive. The USB 2.0 interface enables easy installation with its plug-and-play design. The adapter supports all existing IDE/ATAPI devices such as Iomega® Zip®, CD-ROM, CD-RW, DVD-ROM and IDE hard drives. **Compatible with current drive sizes on the market such as 1 and 2 TB SATA and 750 GB IDE drives.** This adapter cable is a perfect accessory for Microsoft® Surface® products and other leading laptops.



Because this adapter can handle all sizes and types of mass storage drives, it's a great solution for recovering personal files from IDE or SATA drives **from computers that have had motherboard failures.** Includes an integrated USB transceiver; supports USB Suspend/Resume and Remote Wakeup; and a 5 Volt (1 Ampere) power supply that supports both SATA power and standard 4-pin Molex (LP4) power connectors. Plus, the on/off switch on the power supply lets you shut off an attached drive without having to disconnect when not in use. (for 3.5in and 5.25in drives), 44-pin IDC Female (for 2.5in drives), 7-pin SATA Female (for SATA drives).

Discover more connectivity solutions for the [Microsoft Surface](#)

## Features & Benefits

Perfect for recovering files from a failed motherboard

Easily connect any IDE or SATA drive using a USB port

Plug and play design provides for seamless file transfer

Compatible with the Microsoft® Surface® Book 2, Surface Pro 6, Surface Laptop 2, and other leading laptops

## Specifications

### General Info

Product Line	C2G	Color	Black
UPC Number	757120305040	Country Of Origin	China
Application Sector	Commercial, Residential	Warranty Type	Lifetime
Type	Adapter, Cable		

### Dimensions

Cable Length	2.75 ft
--------------	---------

---

## Technical Information

---

Cable Type	Adapter, Serial, USB	Adapter Rear	44-pin IDC Female, 40-pin IDC Female, SATA 7-pin Female
------------	----------------------	--------------	---

---

Adapter Front	USB-A Male
---------------	------------

---