



This plenum rated OM4 laser-optimized multimode (LOMMF) MPO fiber array cable is ready for deployment in any multimode 50/125 MTP/MPO network and is perfect for installs in plenum space. OM4 is fully backward-compatible with existing OM3 systems. This multimode, MPO fiber cable is comprised of 12 fiber channels within each connector. This high density MPO fiber cable is pinned out in type A format and is comprised of 12 fiber channels within each connector which is perfect when space is limited and makes it possible to run a single cable that automatically terminates 12 fibers in one easy plug-in. The push-pull release mechanism for the MPO connector is easy to engage and disengage, its latch design also prevents the plug from snagging when jumper cables are being routed.

Features & Benefits

- Type B pinout
- The MPO connector has a push pull spring loaded release
- 3mm jacket outer diameter
- No guide pins on either MPO connector
- Plenum rated (OFNP) Jacket

Specifications

General Info

| | | | |
|-------------------|-----------|------------|--------------|
| Product Line | C2G | UPC Number | 757120313076 |
| Country Of Origin | Hong Kong | Type | Cable |

Dimensions

| | |
|--------------|---------|
| Cable Length | 16.4 ft |
|--------------|---------|

Additional Information

| | | | |
|--------------------------|-----|--------------------------|------------------------------|
| Prop 65 Warning Required | Yes | Prop 65 Warning Language | Cancer and Reproductive Harm |
|--------------------------|-----|--------------------------|------------------------------|

Technical Information

| | | | |
|------------------------|--------------------------|-----------------|--------------------------|
| Fiber Optic Cable Type | Multimode, OM4, MPO, MTP | Jacket Material | PVC (Polyvinyl Chloride) |
|------------------------|--------------------------|-----------------|--------------------------|