



For fast Ethernet and Gigabit computer networks that require bandwidth-intensive voice, data, or video distribution applications. Meets all Cat6 TIA/EIA standards, and drastically reduces both impedance and structural return loss (SRL). Each of the individual pairs is bonded together to help maintain the twist-spacing throughout the line right up to the termination point. Constructed from high quality copper cable, this design minimizes Near-End Crosstalk (NEXT) levels. The molded, snagless boot prevents unwanted cable snags during installation and provides extra strain relief. Available in a variety of colors to easily color-code your network installation.

Features & Benefits

- Designed for network adapters, hubs, switches, routers, HDBaseT applications and more
- Supports 10 Gigabit networks up to 180ft for fast data transmission and maximum performance and supports 1 Gigabit up to 328ft
- Meets all Cat6 TIA/EIA requirements for supporting a wide variety of applications
- Constructed with unshielded twisted pair (UTP) wires, designed to counter EMI, RFI, and crosstalk
- Snagless connector design for high density environments and protecting the RJ-45 connector's lock

Specifications

General Info

| | | | |
|--------------------|-------------------------------------|-------------------|----------|
| Product Line | C2G | Color | Blue |
| UPC Number | 757120313717 | Country Of Origin | Vietnam |
| Application Sector | Residential, Commercial, Industrial | Warranty Type | Lifetime |
| Type | Cable | | |

Dimensions

| | |
|--------------|------|
| Cable Length | 5 ft |
|--------------|------|

Additional Information

| | | | |
|--------------------------|-----|--------------------------|------------------------------|
| Prop 65 Warning Required | Yes | Prop 65 Warning Language | Cancer and Reproductive Harm |
|--------------------------|-----|--------------------------|------------------------------|

Technical Information

| | | | |
|-----------------|--------------------------|------------|--------|
| Jacket Material | PVC (Polyvinyl Chloride) | Wire Gauge | 24 AWG |
|-----------------|--------------------------|------------|--------|

| | | | |
|------------|---|---------------|--------------------|
| Cable Type | Snagless, Ethernet Patch Cable, Unshielded (UTP) | Jacket Rating | Standard Non-Rated |
|------------|---|---------------|--------------------|

| | | | |
|--------------|------------|---------------|------------|
| Adapter Rear | RJ-45 Male | Adapter Front | RJ-45 Male |
|--------------|------------|---------------|------------|
