

The DisplayPort to HDMI Passive Adapter Converter is an ideal solution for streaming high-quality audio/video content from the DisplayPort output of a laptop to an HDTV or projector which accepts an HDMI input # making it a perfect solution for the office, work space applications, or conference rooms.



This passive adapter converter is a simple plug and play solution that has a DisplayPort 1.2a input and an HDMI 1.4b output. It supports high-definition resolutions up to 4K (3840 x 2160 at 30Hz) and is powered from the DisplayPort source device # allowing it to deliver high quality audio and video to the connected display.

Note:

If the source device supports dual-mode DisplayPort (also known as DP++), a passive adapter can be used because the source device can perform the conversion. If the source device does not support DP++, then an active adapter converter should be used. Thunderbolt 2 ports support DP++ natively.

## Features & Benefits

Adapts a DisplayPort output to HDMI	Supports DisplayPort 1.2a input and HDMI 1.4b output
Supports resolutions up to 4K (3840 x 2160 at 30hz)	Powered from DisplayPort source

## Specifications

### General Info

Product Line	C2G	Color	Black
UPC Number	757120544319	Country Of Origin	China
Application Sector	Commercial, Residential	Warranty Type	Lifetime
Type	Adapter, Converter		

### Dimensions

Product Length US	0.67 FT	Cable Length	0.67 ft
-------------------	---------	--------------	---------

### Listing Agencies / 3rd Party Agencies

FCC Compliant	Yes
---------------	-----

### Technical Information

Jacket Material	PVC (Polyvinyl Chloride)	Video Resolution	1080p, 4K, 4K 30Hz
Storage Humidity	5-90% RH (Non-Condensing)	Number of Ports	1
Jacket Rating	Standard / Non-Rated	Data Transfer Rate	3 Gbps
Connector 2	HDMI Female	Connector 1	DisplayPort Male
Video Output Support	HDMI	Operating Temperature	0°-45°C
Operating Humidity	10-85% RH (Non-Condensing)	Video Input Support	DisplayPort
Storage Temperature	-10° - 80° C		